

BACHMAN & LaPOINTE, P.C.
REGISTERED PATENT ATTORNEYS
SPECIALIZING IN INTELLECTUAL PROPERTY

RECEIVED
CENTRAL FAX CENTER

NOV 10 2005

SUITE 1201
900 CHAPEL STREET
NEW HAVEN, CONNECTICUT 06510-2802

GREGORY P. LAPOINTE
BARRY L. KELMACHTER (ALSO VA BAR)
GEORGE A. COURY (ALSO NY BAR)
WILLIAM B. SLATE (ALSO CA AND DC BARS)
ROSS J. CHRISTIE (ALSO NY BAR)

TELEPHONE (203) 777-6628
FAX (203) 865-0297
(203) 789-0582

TELECOPIER COVER LETTER

To: USPTO

From: William B. Slate

FAX #: 571-273-8300

Date: November 10, 2005

Your Ref.: SN 10/618,059


Our Ref.: EH-10937 (03-358)

Number of Pages including this sheet: 12

Confirmation Copy to Follow: Yes XX No

* Comments:

I hereby certify that this correspondence is being faxed this 10th day of November, 2005 to the USPTO, at Fax No. 1-571-273-8300.


Antoinette Sullo

Please acknowledge receipt of this letter by email, telephone, telefax or telex and advise us if any pages are not readily legible or have not been received.

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. Unauthorized use, disclosure or copying is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately and destroy this transmittal.

BACHMAN & LAPOINTE, P.C.
TELEPHONE: (203) 777-6628
TELEFAX : (203) 865-0297

NOV 10 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

App. No.:	10/618,059	Att'y Docket:	EH-10937 (03-358)
Filing Date:	July 11, 2003	Conf No.:	4332
Inventor(s):	Brian J. Schwartz et al.	Group Art Unit:	3723
Assignee:	United Technologies Corp.	Examiner:	H. Shakeri
Title:	COOLANT NOZZLE		

Correspondence Address:
Customer Number 34704

AMENDMENT UNDER 37 C.F.R. 1.111

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Introductory Comments

In response to the Office Action mailed August 18, 2005, for which a response is due on November 18, 2005, please amend the application as follows: